EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5	("259162" "943988" "944546").ap. and "09".src.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 11:48
S2	2	("056975" "056853").ap. and "10". src.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 11:48
S3	7	S1 S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 11:57
S4	2842	717/124-135.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 14:32
S5	75	S4 and ActiveX	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 11:59
S6	1457	717/106-109.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 12:00
S7	121	S4 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 12:00
S8	9	S4 and S6 and ActiveX	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 12:20
S10	2	"5339392".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 06:51

EAST Search History

S11	48	test adj executive adj application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 11:01
S12	44	(test adj executive adj application) and control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 11:01
S13	24	(test adj executive adj application) and (control same GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 11:34
S14	173	self with bind$4 with control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 11:35
S15	0	S14 same GUI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 11:35
S16	12	self near bind$4 with control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 11:56
S17	0	applicaiton with develop$5 with GUI with control with bind$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 12:42
S18	3	HDL with (clone$4 parent) with latch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 12:46
S19	2	"20020124082".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 14:04
S20	3	(hdl ecad cad) same ((parent clone child copy) with latch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 14:05

EAST Search History

S21	245	HDL same latch$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 06:56
S22	3	HDL same latch$2 same ecad	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 06:55
S23	4	HDL same latch$2 same parent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 06:56
S24	171	@ay<"2003" and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 08:17
S25	14840	latch$3 with (array list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 08:18
S26	20	HDL same latch$3 with (array list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 08:20
S27	20	(HDL same (latch$3 with (array list))) and (latch$3 with (array list))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 08:30
S28	20	(HDL same (latch$3 with (array list))) and ((latch$3 with (array list)) ((set value) with latch))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 08:35
S29	20	(HDL same (latch$3 with (array list))) and ((latch$3 with (array list)) ((set value assign) with latch))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 08:37
S30	6	("20050050509" "6581191" "6618839").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 08:53

S31	2	"6131080".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 09:15
S32	10	("6131080" "6618839" "5870309" "20020108092" "6378123").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 09:20
S33	4	S32 and (latch parent clone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 09:22
S34	224	(flip adj.flop) with (clone child parent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 09:24
S35	5	(flip adj flop) with (clone$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 09:22
S36	221	((flip adj flop) with (clone child parent)) not DNA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 09:25
S37	212	((flip adj flop) with (clone child parent)) not (DNA shoe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 10:48
S38	0	jhdl and latch and clone	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 10:48
S39	1	jhdl and latch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 10:48
S40	6643288	(activex (active adj x) javabean (java adj bean) bean control (com adj object))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 08:59

EAST Search History

S41	61209	S40 with (bind$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 09:01
S42	72216	S40 with (bind$4 bound)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 09:02
S43	1122	S40 with (bind$4) with (object button)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 09:03
S44	20	S43 and 717/106-109,124-135.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 09:04
S45	11	("5485617" | "5487141" | "5511197" | "5537630").PN. OR ("6185728"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/12 09:24
S46	1	"5485617".pn. and (user with ((code sink) adj object))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 09:28
S47	1	"5485617".pn. and ((develop$3 program$5) with ((code sink) adj object))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 11:39
S48	2	"20020124241".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 10:31
S49	1	"20020124241".pn. and (test adj executive adj application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 10:37
S50	1	"20020124241".pn. and (test adj executive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 10:41

EAST Search History

S51	1	"20020124241".pn. and (test adj executive) and (software measurement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 10:41
S52	0	"20020124241".pn. and (test adj executive) and (software adj measurement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 10:42
S53	0	"20020124241".pn. and (test adj executive) and (software adj measurement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 10:42
S54	1	"20020124241".pn. and (test adj executive) and (measurement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 10:42
S55	0	"20020124241".pn. and (test adj executive) and (measurement) and simulation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 10:43
S56	0	"20020124241".pn. and (test adj executive) and (measurement) and simulat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 10:43
S57	1	"20020124241".pn. and (test adj executive) and (measurement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 10:43
S58	1	"20020124241".pn. and (measurement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 10:43
S59	66423	test$4 near2 (application software program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 13:12
S60	66423	test$4 near2 (application software program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 13:18

S61	394	S60 and (manag$4 and environment and select$4 and (display$4 with (step instruction)) and (stop$4 halt$4 paus$5) and report$4 and result$4 and hierarchy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 13:20
S62	2868	717/124-135.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 13:20
S63	22	S62 and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 13:20
S64	304	(ActiveX JavaBean (Java adj Bean)) same (standalone (stand adj alone))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:48
S65	132	(ActiveX JavaBean (Java adj Bean)) with (standalone (stand adj alone))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:45
S66	153	(ActiveX JavaBean (Java adj Bean)) same (hidden invisible ("not" adj (shown displa$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:46
S67	2	S64 and S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:46
S68	3667	((ActiveX JavaBean (Java adj Bean)) with control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:48
S69	1	"07".src. and "959056".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 08:00
S70	13628	(ActiveX Bean) with (control object component)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 08:05

S71	284	S70 with (plugin (plug adj in))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 08:05
S72	1052656	(ActiveX Bean control object component) same (hidden invisible displa$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 08:05
S73	560176	(ActiveX Bean control object component) same (propert$5 dialog (pop adj up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 08:06
S74	2705	S70 and S72 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 08:06
S75	160	S71 and S72 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 08:06
S76	122	S75 and @ay<="2002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 08:08
S77	1857	717/106-113.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 14:33
S78	4	S77 and S76	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 08:08
S79	4	S77 and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 08:10
S80	73	S75 and (develop$4 with environment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 08:27

S81	803	(control with import$4) and (control with propert$4 with (set change))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 08:29
S82	12	S81 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 08:28
S83	80	(control with (import importing imported)) and (control with propert$4 with (set change))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 08:30
S84	5	S83 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 08:30
S85	3	717/135.ccls. and ActiveX	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 13:53
S86	126	717/135.ccls. and control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 13:56
S87	68	S86 and @ay<="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 13:53
S88	97	717/134-135.ccls. and ((control activeX bean) same (simulat$5 emulate$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 13:57
S89	23	S88 and @py<"2002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 13:57

EAST Search History

S90	23	(US-20020041685-$ or US-20020124241-$ or US-20060230379-$ or US-20040221238-$ or US-20050050509-$ or US-20020116666-$ or US-20020087948-$ or US-20020004933-$).did. or (US-6971084-$ or US-6990653-$ or US-6131080-$ or US-6366300-$ or US-6401220-$ or US-5485617-$ or US-6425120-$ or US-7139969-$ or US-6185728-$ or US-7055136-$ or US-7024660-$ or US-6209040-$ or US-6718534-$ or US-6240544-$ or US-5978584-$).did.	US-PGPUB; USPAT	OR	ON	2007/05/30 15:04
S91	7	S90 and ActiveX	US-PGPUB; USPAT	OR	ON	2007/05/30 15:04
S92	6	S90 and ActiveX with (control object)	US-PGPUB; USPAT	OR	ON	2007/05/30 15:27
S93	2990	(control object) with propert$4 with (window panel)	US-PGPUB; USPAT	OR	ON	2007/05/30 15:28
S94	1534	(control object) with propert$4 with (panel)	US-PGPUB; USPAT	OR	ON	2007/05/30 15:29
S95	105	(control object) with propert$4 with (panel) with set	US-PGPUB; USPAT	OR	ON	2007/05/30 15:31
S96	31	S95 and @py<="2001"	US-PGPUB; USPAT	OR	ON	2007/05/30 15:32
S97	42	(control object) with propert$4 near (window panel) with set	US-PGPUB; USPAT	OR	ON	2007/05/30 15:31
S98	7	S97 and @py<="2001"	US-PGPUB; USPAT	OR	ON	2007/05/30 15:59
S99	1	"6401220".pn. and propert$4 near (panel window chang$4 set$5)	US-PGPUB; USPAT	OR	ON	2007/05/30 16:00
S100	1	"6401220".pn. and ((select$4 load$4) with user with sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 07:52
S101	1	"6401220".pn. and ((select$4 load$4) with user with sequence adj editor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 07:53
S102	1	"6401220".pn. and ((select$4 load$4 open) with user with sequence adj file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 10:09

S10 3	1	"6401220".pn. and (format$4 with displa$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 12:25
S10 4	0	"6401220".pn. and (format$4 with displa$4 with step)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 10:10
S10 5	1	"6401220".pn. and (format$4 with displa$4 with sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 10:40
S10 6	1	"6401220".pn. and (load with file with user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 10:41
S10 7	1	"6401220".pn. and (select withload with file with user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 10:52
S10 8	0	"6401220".pn. and (select with load with file with user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 10:42
S10 9	0	"6401220".pn. and ((select graphical GUI Object) with load with file with user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 10:42
S11 0	0	"6401220".pn. and (load with menu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 10:52
S11 1	0	"6401220".pn. and (open with menu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 10:52
S11 2	1	"6401220".pn. and (select with menu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 11:20

S11 3	1	"6401220".pn. and ((result report) with (engine TestStand))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 12:07
S11 4	1	(adjust change) with column with displa$4 with user with (list tab) adj2 (control element)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 12:17
S11 5	16	(adjust$4 chang$5) with column with user with (list tab combo) adj2 (control element box)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 12:18
S11 6	0	"6401220".pn. and (configur$4 with column)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 12:21
S11 7	0	"6401220".pn. and (configur$4 same column)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 12:21
S11 8	0	"6401220".pn. and ((configur$4 set) same column)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 12:35
S11 9	84	(((run exeution) adj time) dynamic$4) with (adjust$4 chang$4 configur$4) with ((list table graph tab combo) adj2 (control element box))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 12:27
S12 0	1	(((run exeution) adj time) dynamic$4) with (adjust$4 chang$4 configur$4) with ((list table graph tab combo) adj2 (control element box)) with column	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 12:28
S12 1	1	"6401220".pn. and ((head$4 name) same column)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 12:35
S12 2	1	"6401220".pn. and ((head$4 name title) with column)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 12:45

S123	0	"6401220".pn. and (displa$5 with column)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 12:45
S124	0	"6401220".pn. and (displa$5 same column)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 12:45
S125	1	"6401220".pn. and (propert$4 with column)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 12:51
S126	0	"6401220".pn. and (process with format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 12:56
S127	0	"6401220".pn. and (step adj type with column)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 12:57
S128	1	"6401220".pn. and (step adj type same column)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 13:16
S129	0	"6401220".pn. and (engine with (description comment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 13:16
S130	1	"6401220".pn. and (engine same (description comment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 13:17